

NOTE TO THE FILE ON LAND DISPOSAL RESTRICTION (LDR) FOLLOW-UP

Facility: C + M Plating Works
 EPA ID Number: CAD009204736
 Insp. date: 9/21/89 DHS ROV date: 12/28/89
 DHS Region: 2 ~ 1/28/90
 Due date for Return to Compliance (RTC) based on ROV: ~~1/28/90~~
 135 days from date of insp. (T&A clock): 2/2/90

- ☒ Based on the DHS's LDR inspection, the facility is a MPV (HPV, MPV, LPV).
- ☒ Facility's response(s) dated 1/5/90 adequately addresses and/or documents the Facility's compliance with the LDR provisions cited in DHS's ROV. The LDR Return To Compliance date is 1/5/90. The State will enter appropriate RTC date into HWDMS based on its action.
- ☐ Facility's response(s) dated _____ does not adequately address the violations cited in DHS's ROV. EPA plans to initiate formal enforcement action.
- ☐ Facility did not respond to DHS's ROV. Facility was called on _____. EPA plans to initiate formal enforcement action.
- ☐ A Class I / Class II (circle one) violation for LDR has been entered into HWDMS.
- ☐ _____
- _____
- _____

Lily Wong 2/5/90
 compliance officer date

concurrency:

cc: DHS-SEU, Region 2

 Section chief date

ENFORCEMENT CONFIDENTIAL MATERIAL

C & M Plating Works

598 SIXTH STREET • SAN FRANCISCO, CALIFORNIA 94103 • (415) 861-1556

January 5, 1990

Lily Wong
EPA Regional Coordinator
U.S. EPA, Region IX
215 Fremont Street T-2-4
San Francisco, Calif. 94105

Dear Lily Wong:

This is a letter certifying that compliance has been achieved regarding the potential violation of Part 268, Title 40, Code of Federal Regulations (CFR) 268.7 (a) (6) found as a result of an inspection by Bill Brown of the DOHS on 9/21/89.

On site copies of the land disposal restrictions notifications and certifications were and are retained at our facility in our file. However, from now on, we will also attach a copy(s) to our individual manifest such as shown with manifest number 88120702 dated 12/5/89 (copy enclosed).

Yours truly,

Ray Mattman

Ray Mattman, partner

RM:kw

Enclosures

cc: Bill Brown, DOHS

Please print or type. (Form designed for use on elite (12-pitch typewriter).)

12/89

8 8120702
IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. C A D 0 0 9 2 0 4 7 3 6 0 0 0 0		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address C & M PLATING WORKS 598 SIXTH STREET SAN FRANCISCO, CA. 94103						A. State Manifest Document Number 88120702			
4. Generator's Phone (415) 861-1556						B. State Generator's ID WAH013600065015			
5. Transporter 1 Company Name ERICKSON TRUCKING INC.						C. State Transporter's ID 001380			
6. US EPA ID Number C A D 0 0 9 4 6 6 3 9 2						D. Transporter's Phone (415) 235-1393			
7. Transporter 2 Company Name						E. State Transporter's ID			
8. US EPA ID Number						F. Transporter's Phone			
9. Designated Facility Name and Site Address SOLVENT SERVICE COMPANY 1021 BERRYESSA ROAD SAN JOSE, 95133						G. State Facility's ID			
10. US EPA ID Number C A D 0 1 9 4 9 4 3 1 0						H. Facility's Phone (408) 286-6446			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. (RQ100) WASTE HYDROCHLORIC ACID SOLUTION, CORROSIVE, RA1789				0103	DF	015100	P	State 792	EPA/Other D002, D007
b. (RQ30) WASTE CORROSIVE LIQUID, N.O.S., RA1760				0102	DF	010100	P	State 723, 726, 792	EPA/Other D002, D007
c. (RQ100) WASTE SULFURIC ACID, SPENT, CORROSIVE LIQUID, UN1832				0101	DF	005100	P	State 726, 792	EPA/Other D002
d.								State	EPA/Other
J. Additional Descriptions for Materials Listed Above A. PROFILE #CL1132-15% HYDROCHLORIC ACID B. PROFILE #CL1131-20% MIXED ACID W/WH C. PROFILE #CL1129-50% SULFURIC ACID						K. Handling Codes for Wastes Listed Above a. b. c. d.			
15. Special Handling Instructions and Additional Information GLOVES, SAFETY GLASSES, AND OTHER PROTECTIVE EQUIPMENT SUITABLE FOR HANDLING ACIDS, EH PERMIT # 2-11570									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name RAY MATTHEW				Signature Ray Matthew		Month Day Year 1/20/89			
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name JERRY L. HULSEY				Signature		Month Day Year 1/20/89			
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name				Signature		Month Day Year			
19. Discrepancy Indication Space									
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name				Signature		Month Day Year			

★
a- DRUMS #1, 7, 9
b- DRUMS #2, 9
c- DRUM #12

H4D. H2O2 (MURKIN) 1000

CL 1132
DAMS #
1,7, #8
OUR
COPY



SOLVENT SERVICE, INC.

1040 COMMERCIAL STREET, SUITE 101, SAN JOSE, CA 95112
(408) 286-6446

CERTIFICATION A

LAND DISPOSAL RESTRICTIONS INFORMATION

"CALIFORNIA LIST" WASTES FOR TREATMENT OR FOR INCINERATION

Customer Name: COM PLATING WORKS
EPA ID Number: CAD 009204736
Address: 589 SIXTH ST SAN FRANCISCO CA 94103

Under manifest number: _____ we are shipping to you for appropriate treatment and landfilling or for incineration, a waste stream which was a "California List" waste at the point of generation and therefore cannot be directly landfilled, because it was one of the following (check one):

- ☐ A) Liquid hazardous waste, including free liquids associated with any solid or sludge, containing free cyanides at concentrations $\geq 1,000$ mg/l.
- ☐ B) Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) or compounds of these metal (or elements) at concentrations \geq those specified below.
- ☐ (i) arsenic and/or compounds (as As) 500 mg/l;
 - ☐ (ii) cadmium and/or compounds (as Cd) 100 mg/l;
 - ☐ (iii) chromium (VI and/or compounds (as Cr VI)) 500 mg/l;
 - ☐ (iv) lead and/or compounds (as Pb) 500 mg/l;
 - ☐ (v) mercury and/or compounds (as Hg) 20 mg/l;
 - ☐ (vi) nickel and/or compounds (as Ni) 134 mg/l;
 - ☐ (vii) selenium and/or compounds (as Se) 100 mg/l; and
 - ☐ (viii) thallium and/or compounds (as Tl) 130 mg/l;
- ☒ C) Liquid hazardous waste has a pH < 2.0 .
- ☐ D) Liquid hazardous waste containing polychlorinated biphenyls at concentrations ≥ 50 ppm. (for RES (TX) only).
- ☐ E) Liquid hazardous wastes that are primarily water and contain halogenated organic compounds in total concentrations ≥ 1000 mg/l and $< 10,000$ mg/l.

The above information is based upon, () an attached waste analysis or (☒) my thorough knowledge of the waste stream.

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing, or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004 (d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Authorized representative signature Ray Mattman
Print or type name RAY MATTMAN 12/5/89
Title _____



(MIKE) ARABIS water
W/HP ← E.H.

SOLVENT SERVICE, INC.

1040 COMMERCIAL STREET, SUITE 101, SAN JOSE, CA 95112
(408) 286-6446

CL 1131

INCLUDES

H₂SO₄ - HF ACID

DRMS # 289

OUR COPY

CERTIFICATION A

LAND DISPOSAL RESTRICTIONS INFORMATION

"CALIFORNIA LIST" WASTES FOR TREATMENT OR FOR INCINERATION

Customer Name: COM PLATING WORKS

EPA ID Number: CAD 009 204 736

Address: 589 SYRA ST SAN FRANCISCO CA 94801

Under manifest number _____ we are shipping to you for appropriate treatment and landfilling or for incineration, a waste stream which was a "California List" waste at the point of generation and therefore cannot be directly landfilled, because it was one of the following (check one):

- ☐ A) Liquid hazardous waste, including free liquids associated with any solid or sludge, containing free cyanides at concentrations $\geq 1,000$ mg/l.
- ☒ B) Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) or compounds of these metal (or elements) at concentrations \geq those specified below.
 - ☐ (i) arsenic and/or compounds (as As) 500 mg/l;
 - ☐ (ii) cadmium and/or compounds (as Cd) 100 mg/l;
 - ☒ (iii) chromium (VI and/or compounds (as Cr VI)) 500 mg/l;
 - ☐ (iv) lead and/or compounds (as Pb) 500 mg/l;
 - ☐ (v) mercury and/or compounds (as Hg) 20 mg/l;
 - ☒ (vi) nickel and/or compounds (as Ni) 134 mg/l;
 - ☐ (vii) selenium and/or compounds (as Se) 100 mg/l; and
 - ☐ (viii) thallium and/or compounds (as Tl) 130 mg/l;
- ☒ C) Liquid hazardous waste has a pH \leq two (2.0).
- ☐ D) Liquid hazardous waste containing polychlorinated biphenyls at concentrations ≥ 50 ppm. (for RES (TX) only).
- ☐ E) Liquid hazardous wastes that are primarily water and contain halogenated organic compounds in total concentrations ≥ 1000 mg/l and $< 10,000$ mg/l.

The above information is based upon, () an attached waste analysis or (☒) my thorough knowledge of the waste stream.

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing, or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004 (d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Authorized representative signature Ray Matzman

Print or type name RAY MATZMAN 12/5/89

Title _____

(SULFURIC SLIPPER)

SOLVENT SERVICE, INC.

1040 COMMERCIAL STREET, SUITE 101, SAN JOSE, CA 95112
(408) 286-6446

CERTIFICATION A

LAND DISPOSAL RESTRICTIONS INFORMATION

"CALIFORNIA LIST" WASTES FOR TREATMENT OR FOR INCINERATION

Customer Name: C&M PLATING WORKS

EPA ID Number: CAD 009204716

Address: 589 SIXTH ST SAN FRANCISCO CA 94103

Under manifest number: _____ we are shipping to you for appropriate treatment and landfilling or for incineration, a waste stream which was a "California List" waste at the point of generation and therefore cannot be directly landfilled, because it was one of the following (check one):

- ☐ A) Liquid hazardous waste, including free liquids associated with any solid or sludge, containing free cyanides at concentrations $\geq 1,000$ mg/l.
- ☒ B) Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) or compounds of these metal (or elements) at concentrations \geq those specified below.
- ☐ (i) arsenic and/or compounds (as As) 500 mg/l;
- ☐ (ii) cadmium and/or compounds (as Cd) 100 mg/l;
- ☐ (iii) chromium (VI and/or compounds (as Cr VI)) 500 mg/l;
- ☐ (iv) lead and/or compounds (as Pb) 500 mg/l;
- ☐ (v) mercury and/or compounds (as Hg) 20 mg/l;
- ☒ (vi) nickel and/or compounds (as Ni) 134 mg/l;
- ☐ (vii) selenium and/or compounds (as Se) 100 mg/l; and
- ☐ (viii) thallium and/or compounds (as Tl) 130 mg/l;
- ☒ C) Liquid hazardous waste has a pH \leq two (2.0).
- ☐ D) Liquid hazardous waste containing polychlorinated biphenyls at concentrations ≥ 50 ppm. (for RES (TX) only).
- ☐ E) Liquid hazardous wastes that are primarily water and contain halogenated organic compounds in total concentrations ≥ 1000 mg/l and $< 10,000$ mg/l.

The above information is based upon, () an attached waste analysis or (☒) my thorough knowledge of the waste stream.

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing, or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004 (d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Authorized representative signature Ray Mattman

Print or type name RAY MATTMAN

Title _____

Date 12/5/87

CL 1127
DRAW # 12
OUR
COPY

8 0120702

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. QADQ0920473600001	Manifest Document No. 000001	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address C & M PLATING WORKS 598 SIXTH STREET SAN FRANCISCO, CA. 94103			A. State Manifest Document Number 88120702		
4. Generator's Phone (415) 861-1556			B. State Generator's ID H A E Q 3 6 0 0 6 5 9 5		
5. Transporter 1 Company Name ERICKSON TRUCKING INC.			C. State Transporter's ID 001380		
6. US EPA ID Number C A D Q 0 9 4 6 6 3 9 2			D. Transporter's Phone (415) 235-1393		
7. Transporter 2 Company Name			E. State Transporter's ID		
8. US EPA ID Number			F. Transporter's Phone		
9. Designated Facility Name and Site Address SOLVENT SERVICE COMPANY 1021 BERRYESSA ROAD SAN JOSE, 95133			G. State Facility's ID C A D 0 5 9 4 9 4 3 1 0		
10. US EPA ID Number C A D 0 5 9 4 9 4 3 1 0			H. Facility's Phone (408) 286-6446		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. (RQ100) WASTE HYDROCHLORIC ACID SOLUTION, CORROSIVE, NA1789		0 0 3 D F 0 1 5 0 0 P			State 792 EPA/Other D002, D007
b. (RQ50) WASTE CORROSIVE LIQUID, N.O.S., NA1760		0 0 2 D F 0 1 0 0 0 P			State 723, 726, 792 EPA/Other D002, D007
c. (RQ100) WASTE SULFURIC ACID, SPENT, CORROSIVE LIQUID, UN1832		0 0 1 D F 0 1 0 5 1 0 0 P			State 726, 792 EPA/Other D002
d.					State EPA/Other
J. Additional Descriptions for Materials Listed Above a. PROFILE #CL1132-15% HYDROCHLORIC ACID b. PROFILE #CL1131-20% MIXED ACID WITH c. PROFILE #CL1129-50% SULFURIC ACID			K. Handling Codes for Wastes Listed Above a. 99 b. 99 c. 99 d.		
15. Special Handling Instructions and Additional Information GLOVES, SAFETY GLASSES, AND OTHER PROTECTIVE EQUIPMENT SUITABLE FOR HANDLING ACIDS, EH PERMIT # 2-11570 ABC) 99/15/01/01					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name RAY MATTMAN		Signature Ray Mattman		Month Day Year 1 2 0 5 8 9	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name JERRY L. HULSFY		Signature Jerry L. Hulsfy		Month Day Year 1 2 0 5 8 9	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space (408) 453-6046					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name MARIA GUINTU		Signature Maria Guintu		Month Day Year 1 2 0 5 8 9	

DEPARTMENT OF HEALTH SERVICES

2151 BERKELEY WAY
BERKELEY, CA 94704

December 28, 1989



CERTIFIED MAIL

Ray Mattman
C&M Plating Works
598 Sixth Street
San Francisco, CA 94103
EPA ID #: CAD009204736

Dear Mr. Mattman:

REPORT OF VIOLATION AND SCHEDULE FOR COMPLIANCE

On September 21, 1989, the Department of Health Services conducted an inspection of C&M Plating Works in San Francisco, California. As a result of that inspection, violations of hazardous waste statutes and regulations were found.

I. Violations

1. Title 22, California Code of Regulations (Cal. Code Regs.), Sections 66508 (a)(4), 67121(c).

The hazardous waste drum storage area, used to store waste acids, did not have adequate decontamination equipment. Specifically, the drum storage area, located outside the northwest wall of Building #2, did not have an adequate eyewash/safety shower.

2. Title 22, Cal. Code Regs., Sections 66508 (a)(4), 67122.

All fire protection equipment was not maintained as necessary to assure its proper operation in time of emergency. Specifically, the facility's fire extinguisher, located at the hazardous waste drum storage area, needed to be recharged.

II. Schedule For Compliance

1. Within thirty days of the receipt of this Report, please submit to the Department a photograph which shows that an eyewash/safety shower capable of meeting

the American National Standard Z358.1.1981 (hands-free eyewash capability with a minimum flow of 0.4 gallons/minute for 15 minutes, and a shower with a minimum flow rate of 30 gallons/minute), has been installed in the drum storage area outside the northwest wall of Building #2.

2. During the inspection it was observed that Mr. Mattman replaced the fire extinguisher, cited in Violation #2, with a fire extinguisher that did not need recharging.

Potential Land Disposal Restrictions Violation

Additionally, during this inspection a potential violation of Part 268, Title 40, Code of Federal Regulations, was documented. This includes but may not be limited to:

1. Title 40, Code of Federal Regulations (CFR) 268.7 (a)(6).

The facility did not retain on-site copies of the land disposal restrictions notifications and certifications sent with restricted wastes that have been shipped off-site. Specifically, C&M Plating Works did not retain copies of certifications for waste restricted from land disposal such as the waste listed on manifest number 88119040.


You are hereby requested to submit to EPA within 30 days of receipt of this Report of Violation a letter certifying that compliance with the above deficiency has been achieved. Your submittal to EPA must also include, to the extent possible, photographs and/or documentation that demonstrates that compliance with respect to the above deficiency has been achieved. You must submit the information described above to: Lily Wong, EPA Regional Coordinator, at U.S. EPA, Region IX, 215 Fremont Street T-2-4, San Francisco, CA 94105. If you have any questions or require additional information regarding these Section 268 violations, please contact the EPA Regional Coordinator listed above at (415) 974-8128.

The Department may schedule a reinspection of C&M Plating Works to verify compliance.


The issuance of this Report of Violation does not preclude the Department from taking administrative, civil or criminal action as a result of the violations noted herein.

If you have any questions regarding this Report, please contact
Bill Brown at (415) 540-3729.

Sincerely,



William L. Brown
Hazardous Materials Specialist
Region 2
Toxic Substances Control Program



Charlene F. Williams
Senior Hazardous Materials
Specialist
Region 2
Toxic Substances Control Program

Cert. Mail No. P577921391

cc: Lily Wong, US EPA, Region IX
William Soo Hoo, TLO, DHS, HQ
Mary Locke, OLE, DHS, HQ
Larry Matz, SEU, DHS, HQ
Lucille Van Ommering, FRU, DHS, HQ
Steve Low, City/County of S.F.

CA0009204736

The land referred to in this Policy is described as:

That certain real property situate in the City and County of San Francisco, State of California, described as follows:

COMMENCING at the point of intersection of the southwesterly line of 6th Street and the northwesterly line of Brannan Street; running thence northwesterly and along said line of 6th Street 75 feet; thence at a right angle southwesterly 85 feet; thence at a right angle northwesterly 25 feet; thence at a right angle southwesterly 75 feet to the northeasterly line of Harriet Street; thence at a right angle southeasterly along said line of Harriet Street 100 feet to the northwesterly line of Brannan Street; thence at a right angle northeasterly along said line of Brannan Street 160 feet to the point of commencement.

BEING part of 100 Vara Lot 313 in Block 398.

rt.

C & M PLATING
598 - 6th STREET
San Francisco, CA 94103